References

Dentsply Sirona Academy Campus Webinar: **“Sealer and Reciprocating Instrumentation – An Insight into Science & Practice”**

Prof. Dr. Gustavo De-Deus

Elmaasarawi, A., Mekhemar, M., & Bartols, A. (2025). Influence of different endodontic treatment protocols on tooth survival: A retrospective cohort study with multistate analysis and group balancing. *International endodontic journal*, *58*(10), 1529–1550. https://doi.org/10.1111/iej.14271

De-Deus, G., Rodrigues, E. A., Lee, J. K., Kim, J., Silva, E. J. N. L., Belladonna, F. G., Simões-Carvalho, M., Souza, E. M., & Versiani, M. A. (2023). Taper 0.06 Versus Taper 0.04: The Impact on the Danger Zone. *Journal of endodontics*, *49*(5), 536–543. https://doi.org/10.1016/j.joen.2023.02.009

Yared G. (2008). Canal preparation using only one Ni-Ti rotary instrument: preliminary observations. *International endodontic journal*, *41*(4), 339–344. https://doi.org/10.1111/j.1365-2591.2007.01351.x

Jefferies S. R. (2014). Bioactive and biomimetic restorative materials: a comprehensive review. Part I. *Journal of esthetic and restorative dentistry : official publication of the American Academy of Esthetic Dentistry ... [et al.]*, *26*(1), 14–26. https://doi.org/10.1111/jerd.12069

Jefferies S. (2014). Bioactive and biomimetic restorative materials: a comprehensive review. Part II. *Journal of esthetic and restorative dentistry : official publication of the American Academy of Esthetic Dentistry ... [et al.]*, *26*(1), 27–39. https://doi.org/10.1111/jerd.12066

Belladonna, F. G., Simões-Carvalho, M., Zuolo, M. L., Carvalho, M. C., Ehrhardt, I. C., Galdeano, C. P., de Mello Guimarães, T., Silva, E. J. N. L., Souza, E. M., & Versiani, M. A. (2026). Full Working Length Negotiation in Challenging Narrow Canals Using a Single Conservative Asymmetric Reciprocating Instrument.

International endodontic journal, *59*(11), 2455–2463. https://doi.org/10.1111/iej.70228