References

Dentsply Sirona Academy Campus Webinar: Blue print to Smile - Full mouth rehabilitation in the digital era

John Tsourounakis DDS, MS

Mitrani, R., Papaspyridakos, P., Bedrossian, E. A., Goldberg, J., Tsigarida, A., & Chochlidakis, K. (2025). Treatment planning algorithm for patients with a terminal dentition. *The Journal of prosthetic dentistry*, *134*(5), 1391–1397. https://doi.org/10.1016/j.prosdent.2024.04.029

Misch C. E. (1989). Bone classification, training keys to implant success. Dentistry today, 8(4), 39–44.

Pollini, A., Goldberg, J., Mitrani, R., & Morton, D. (2017). The Lip-Tooth-Ridge Classification: A Guidepost for Edentulous Maxillary Arches. Diagnosis, Risk Assessment, and Implant Treatment Indications. The International journal of periodontics & restorative dentistry, 37(6), 835–841. https://doi.org/10.11607/prd.3209

Vrielinck, L., Politis, C., Schepers, S., Pauwels, M., & Naert, I. (2003). Image-based planning and clinical validation of zygoma and pterygoid implant placement in patients with severe bone atrophy using customized drill guides. Preliminary results from a prospective clinical follow-up study. International journal of oral and maxillofacial surgery, 32(1), 7–14. https://doi.org/10.1054/ijom.2002.0337

Di Giacomo, G. A., Cury, P. R., de Araujo, N. S., Sendyk, W. R., & Sendyk, C. L. (2005). Clinical application of stereolithographic surgical guides for implant placement: preliminary results. Journal of periodontology, 76(4), 503–507. https://doi.org/10.1902/jop.2005.76.4.503

van Steenberghe, D., Glauser, R., Blombäck, U., Andersson, M., Schutyser, F., Pettersson, A., & Wendelhag, I. (2005). A computed tomographic scan-derived customized surgical template and fixed prosthesis for flapless surgery and immediate loading of implants in fully edentulous maxillae: a prospective multicenter study. Clinical implant dentistry and related research, 7 Suppl 1, S111–S120. https://doi.org/10.1111/j.1708-8208.2005.tb00083.x

Van Assche, N., van Steenberghe, D., Guerrero, M. E., Hirsch, E., Schutyser, F., Quirynen, M., & Jacobs, R. (2007). Accuracy of implant placement based on pre-surgical planning of three-dimensional cone-beam images: a pilot study. Journal of clinical periodontology, 34(9), 816–821. https://doi.org/10.1111/j.1600-051X.2007.01110.x

Pettersson, A., Kero, T., Gillot, L., Cannas, B., Fäldt, J., Söderberg, R., & Näsström, K. (2010). Accuracy of CAD/CAM-guided surgical template implant surgery on human cadavers: Part I. The Journal of prosthetic dentistry, 103(6), 334–342. https://doi.org/10.1016/S0022-3913(10)60072-8

Vasak, C., Watzak, G., Gahleitner, A., Strbac, G., Schemper, M., & Zechner, W. (2011). Computed tomography-based evaluation of template (NobelGuide™)-guided implant positions: a prospective radiological study. Clinical oral implants research, 22(10), 1157–1163. https://doi.org/10.1111/j.1600-0501.2010.02070.x

English C. E. (1990). Critical A-P spread. The Implant Society : [periodical], 1(1), 2–3.

Lou, F., Rao, P., Zhang, M., Luo, S., Lu, S., & Xiao, J. (2021). Accuracy evaluation of partially guided and fully guided templates applied to implant surgery of anterior teeth: A randomized controlled trial. Clinical implant dentistry and related research, 23(1), 117–130. https://doi.org/10.1111/cid.12980

Younes, F., Eghbali, A., De Bruyckere, T., Cleymaet, R., & Cosyn, J. (2019). A randomized controlled trial on the efficiency of free-handed, pilot-drill guided and fully guided implant surgery in partially edentulous patients. Clinical oral implants research, 30(2), 131–138. https://doi.org/10.1111/clr.13399

Tahmaseb, A., Wu, V., Wismeijer, D., Coucke, W., & Evans, C. (2018). The accuracy of static computer-aided implant surgery: A systematic review and meta-analysis. Clinical oral implants research, 29 Suppl 16, 416–435. https://doi.org/10.1111/clr.13346